

CA2ALEN 116
92W16



***Technical Report
Series***

Alberta
ENVIRONMENT



**WATER QUALITY IN THE
WAPITI-SMOKY RIVER SYSTEM
UNDER LOW-FLOW CONDITIONS
1987-1991**

**A SYNOPSIS OF GOVERNMENT
SURVEYS AND MONITORING**

Prepared by:

Leigh R. Noton, M.Sc., P.Biol.
Environmental Quality Monitoring Branch
Environmental Assessment Division
Alberta Environment

May 1992

TABLE OF CONTENTS

Introduction	1
Recent Government Water Quality Surveys and Monitoring	1
Findings	2
References	9

Tables

1. Water Quality Conditions in the Wapiti-Smoky River System Findings of Surveys and Monitoring, 1987-91.	3
2. Summary of Findings and Comparison With 1983 Survey	8

Figures

1. Sampling Sites	10
-------------------------	----

Appendices

1. Water Quality Data From Synoptic Surveys	
2. Water Quality Data From Medium and Long Term River Network Sites	
3. AOX, Chlorophenolic, and Resin-Fatty Acid Data, Wapiti-Smoky River Surveys, 1991	
4. Graphs of Dissolved Oxygen From Continuous Recording Meters at Four Sites in the Wapiti-Smoky River System, 1990 and 1991	
5. Zoobenthic Data, Wapiti-Smoky Rivers	

INTRODUCTION

The purpose of this document is to provide a brief update on recent water quality conditions in the Wapiti-Smoky River system. The last report on this river system was released in 1989 and was based on surveys conducted in 1983 (Noton et al 1989).

RECENT GOVERNMENT WATER QUALITY SURVEYS AND MONITORING

A number of water quality and related investigations have been carried out by Alberta Environment and other government agencies since 1983 on the Wapiti-Smoky river system:

- | | | | |
|------|------------|---|---|
| 1987 | October | - | Sediment and zoobenthos for dioxin/furan content |
| | Oct.-Nov. | - | Fish for dioxin/furan content (Alta. Fish & Wildlife Div.) |
| 1988 | November | - | Sediment for dioxin/furan content (joint with Env. Canada - national survey) |
| 1989 | March | - | Winter time-of-travel water quality (contracted) |
| | October | - | Water quality survey |
| | | - | Benthic survey |
| | | - | Bottom sediment collection (archived) |
| 1990 | Feb.-March | - | Winter time-of-travel water quality |
| | Jan.-March | - | Continuous oxygen recorders, 4 sites |
| | Jan.-March | - | Streambed oxygen demand (SOD) survey |
| | Feb.-March | - | Hydraulic investigation (time-of-travel measurement, Alta. Research Council) |
| | Fall | - | Initiation of "Medium Term" River Monitoring sites (6x/yr.), Wapiti at Hwy 40 and Wapiti at mouth (Smoky R. at Watino continues monthly throughout) |
| | Fall | - | Fish collection for contaminants analysis (Alta. Fish & Wildlife Div.) |
| 1991 | Jan.-March | - | Continuous oxygen recorders, 4 sites |
| | Feb.-March | - | Winter time-of-travel water quality |
| | Feb. | - | Benthic survey |

A map of the main water quality sampling sites (Figure 1) is attached. The water quality surveys included sampling of effluents and important tributaries, as well as the mainstem rivers. Except for the Oct. 89 survey, sampling progressed downstream at approximately river time-of-travel. The surveys have been purposely concentrated during the lower-flow seasons (fall and winter) so as to describe conditions when the dilution of effluent is usually lowest. Low flows persist for some 4-5 months of the

year (approximately November-March). Note that the Grande Prairie STP generally discharges for two weeks, then shuts off for two weeks: the discharges and the water quality surveys were timed to coincide during the 1987-91 work.

The data from these surveys were inspected to assess effects on water quality, in the Wapiti River in the Grande Prairie area, and in the Smoky River upstream and downstream of the Wapiti River inflow. Water quality was compared with the Alberta Surface Water Quality Objectives (ASWQO) and the Canadian Water Quality Guidelines (CWQG).

FINDINGS

A synopsis of water quality conditions in the Wapiti and Smoky rivers is compiled in Table 1. Detailed data are appended. Changes in water quality in the studied reaches are described, and comparison is made with the ASWQO and CWQG. A "no" for compliance in Table 1 means that measured water quality was not within the ASWQO and/or the CWQG on at least one of the sampling occasions. The 'condition' column provides the probable reason. Note of course that compliance, when referring to surface water quality objectives or guidelines, does not imply a legal requirement.

In brief, the monitoring has investigated a comprehensive list of variables and found non-compliance in the Wapiti-Smoky River system for odour, colour, sulphide, aluminum, chromium, manganese, total nitrogen, total phosphorus, total phenolics, dichlorophenol, and total coliforms. There is also non-compliance for dioxins/furans in fish. Benthic biota (algae, invertebrates) show evidence of enrichment (eutrophication), but no distinct evidence of toxicity. Effluents from the Procter and Gamble pulp mill appear to be the main cause of these impacts although treated sewage and urban runoff from Grande Prairie, as well as tributary inflows, also contribute for some variables. A number of other variables are also affected (e.g., oxygen, sodium, chloride, zinc, ammonia, organic carbon, resin acids, chloroform, chlorophenolics, AOX) but were not out of compliance with water quality guidelines or objectives.

Comment on some individual variables follows.

Odour

Odour was evaluated in the field on a qualitative four point scale and was also measured in the lab (threshold odour test). The lab measurements were not very reliable since often no odour was reported when it was clearly noticeable in river water in the field. Primary reliance was placed on the field evaluations.

TABLE 1. WATER QUALITY CONDITIONS IN THE WAPITI-SKOKY RIVER SYSTEM
FINDINGS OF SURVEYS AND MONITORING, 1987-91.

VARIABLE	ASHQO mg/L (Unless Noted)		WAPITI RIVER		SKOKY RIVER	
			CONDITION	COMPLIANCE	CONDITION	COMPLIANCE
Temperature	+3°C	NS	Small increase (Δ1°C) due to pulp mill cooling water and main effluent, results in an ice-free reach in winter of 25 Km.	yes	No effect.	yes
Odour	≤8 TON	n11	Large increase due to pulp mill effluent, fall and winter.	no	'Pulp-mill' odour persists to mouth, fall and winter.	no
Colour, True	+30 RCU	n11	Large increase due to pulp mill effluent, fall and winter.	no	Large increase in winter due to inflow of Wapiti River	no
Turbidity	+25 JTU	+5 NTU	Small increase on some occasions, due to tributaries and effluents.	yes	No effect.	yes
Suspended Solids	+10	+10	Small increase on some occasions, due to tributaries and effluents.	yes	No effect.	yes
Oxygen	5	6.5/9.5	Declines in winter, to 8.7-11.4 mg/L. No effect in fall.	yes (excl. 9.5)	Declines in winter, to 7.2-10.5 mg/L near mouth.	yes
Na, Cl, SO ₄	NS	200-500 (AO)	Large increase due to pulp mill effluent.	yes	Increase in Na and Cl due to inflow of Wapiti, in winter.	yes
TDS (Filt. Residue)	NS	500 (AO)	Large increase due to pulp mill effluent, especially in low-flow winters.	no	Some increase due to Wapiti inflow.	yes
Other Major Ions, F, Cl, Silica	NS	NS	Some increases in Ca, K, HCO ₃ , silica, but no known adverse consequences.	-	No effect.	-
Sulphide	0.05	NS	Large increase due to pulp mill effluent.	no	Moderate increase due to Wapiti inflow.	yes
Al (total)	NS	0.1	Moderate increase due primarily to tributaries and pulp mill storm sewer/cooling water.	no	Small increase due to Wapiti inflow. Non-compliance mostly natural.	no
Cr (total)	0.05	0.002/0.02	Large increase on some occasions, due to pulp mill main effluent, tributaries, and sometimes storm sewer/cooling water.	no	Small increase due to Wapiti inflow. Non-compliance mostly natural.	no
Mn (total)	0.05	NS	Large increase, primarily due to pulp mill effluent, secondarily to tributaries.	no	Moderate increase due to Wapiti inflow.	yes
Zn (total)	0.05	(0.03)	Moderate increase (doubles) in winter due to pulp mill effluent, secondly due to tributaries.	yes	No or small increase due to Wapiti inflow.	yes
Other Metals (As, Ag, Ba, Be, B, Cd, Co, Cu, Fe, Hg, Li, Mo, Ni, Pb, Sb, Se, Sr, V). Some non-compliance in both rivers for some of these, but mostly due to natural conditions.						

VARIABLE	ASWOG		WAPITI RIVER		SHOOKY RIVER	
	ASWOG	CHOG	CONDITION	COMPLIANCE	CONDITION	COMPLIANCE
	mg/L	(Unless Noted)				
Ammonia-N	NS	ca. 0.45	Large increase due to Grande Prairie sewage; small increase due to pulp mill effluent.	yes	Large increase due to Wapiti inflow.	yes
Total N	1.0	NS	Large increase due to combined influence of Grande Prairie sewage and pulp mill effluent.	no	Moderate increase due to Wapiti inflow.	yes
Total P	0.05	NS	Large increase due to combined influence of Grande Prairie sewage, pulp mill effluent, and tributaries.	no	Large increase in winter, primarily due to Wapiti inflow.	no
Phenolics	0.005	0.001	Large increase due to pulp mill main effluent.	no	Large increase due to Wapiti inflow.	no
Carbon (Diss. Organic)	NS	NS	Large increase due to pulp mill main effluent and secondarily due to tributaries.	-	Large increase due to Wapiti and other tributary inflows.	-
Resin Acids (1 survey-winter)	0.1	NS	Large increase due to pulp mill main effluent and secondarily due to mill storm sewer/cooling water.	yes	Increase due to Wapiti inflow.	yes
Chlorophenolics ($\mu\text{g/L}$)						
Mono-CP	NS	7	Large increase due to pulp mill main effluent, principally in 2,4-DCP and 2,4,6-TCP.	yes	Large increase due to Wapiti inflow; chlorophenolics persist to Peace River.	yes
Di-CP	NS	0.2		no		yes
Tri-CP	NS	18		yes		yes
Tetra-CP	NS	1		yes		yes
Penta-CP	NS	0.5		yes		yes
Other	NS	NS	Large increase due to pulp mill effluent, principally in 4,5-DC-Guaiacol, TCG's, DC-Catechols, 3,4,5-TCC, and 4,5-DC-Veratrole.	yes	Increase due to Wapiti inflow; most compounds persist to Peace River.	yes
Chloroform ($\mu\text{g/L}$) NS	(2)		Up to 1-2 $\mu\text{g/L}$ due to pulp mill main effluent.	yes	Sometimes detectable (<1 $\mu\text{g/L}$) due to Wapiti inflow.	-
2,3,7,8 TCD Dioxin/Furan	M&W Can: 20 ppt in fish		1987: Present in zoobenthos and sediment downstream of pulp mill. 1987-90: Present in fish in river system, in higher concentrations than in controls.	-	Not investigated.	-
Other 'Trace Organic Priority Pollutants'			Not detected.	no	Few data.	-
Tentatively Identified Trace Organic Compounds	NS	NS	Several present due to pulp mill main effluent, especially sulphides, sulphones, thiophenes, and terpenes.	-	Not detected.	-
					Some present due to Wapiti inflow; some persist to Peace River.	-

VARIABLE	ASHOQ		WAPITI RIVER		SHOXY RIVER	
	mg/L	(Unless Noted)	CONDITION	COMPLIANCE	CONDITION	COMPLIANCE
ADX	NS	NS	Large increase due to pulp mill main effluent; ADX is conservative downstream.	-	Large increase due to Wapiti inflow; persists to Peace River.	-
Chlorate (1 survey-winter)	NS	NS	Not detected (<0.5 µg/L).	-	Not investigated.	-
Bacteria (#/100 mL) Fecal Coliforms	200	200	Large increase due to varying effect of Grande Prairie STP, pulp mill storm sewer, pulp mill main effluent.	yes	Increase on some occasions due to various tributaries.	yes
Total Coliforms	1000	1000	AS for fecal coliforms.	no	Moderate increase due to Wapiti and other tributaries.	yes
Benthos Epilithic Chlorophyll	NS	NS	Generally increased in shallow waters - see text.		Not investigated.	
Zoobenthos	NS	NS	Generally increased in numbers in shallow waters - see text.		Not investigated.	

3/3

ASHOQ - Alberta Surface Water Quality Objectives

CHQG - Canadian Water Quality Guidelines

NS - not specified or not applicable

n11 - the CHQG is not objectionable odour or colour

A0 - Aesthetic Objectives, for drinking water. Objectives for other uses are either not specified or are less stringent.

() - indicates tentative or interim guideline

Cr - CHQG: fish 0.02 mg/L; other aquatic life 0.002 mg/L

NH₃-N: the CHQG varies with temp. and pH. The 0.45 is for winter conditions (temp. = 0°C, pH ≤ 8.5).

H&WC - Health and Welfare Canada

Oxygen

Oxygen was measured during the water quality surveys, at MTRN/LTRN sites, and by continuous recorders (Figures in Appendix 4). In general there appeared to be about a 2-3 mg/L decline in the Wapiti River from Hwy #40 to the mouth, and a similar decline in the Smoky River from upstream of the Wapiti to Watino. Important factors in the winter oxygen balance and the actual concentrations that occur at any given time are river discharge, effluent BOD loads, extent of ice cover, tributary inflows, and streambed oxygen demand (Macdonald and Taylor, 1990). The lowest oxygen was observed during the survey with the lowest flows, in March 1989. Streambed oxygen demand appeared to be greater downstream of the pulp mill effluent than upstream (Casey 1990).

Na, Cl, SO₄, TDS

These variables were compared to the Canadian Drinking Water Guidelines (Aesthetic Objective) since they are dissolved and not readily removed in water treatment. TDS was non-compliant during the lowest flow winter (March 1989).

Chromium

Chromium was relatively high in the pulp mill main effluent on some occasions and river concentrations increased as a result. Tributaries and the mill's storm sewer/cooling water also contributed significant amounts on some occasions.

Ammonia-N

Grande Prairie treated sewage caused most of the increase in the Wapiti River. Ammonia also appeared to increase through the reach downstream of the pulp mill, suggesting the occurrence of ammonification as a result of decomposition of organic material.

AOX (Adsorbable Organic Halide)

AOX in the Wapiti-Smoky River system was first sampled in October 1989. That work plus Feb.-March 1990 surveys revealed AOX to persist long distances downstream (Noton 1990) and subsequent findings are consistent with this.

Benthos

The two recent benthic surveys, of October 1989 and February 1991, both indicated that the main effect on benthic biota in the Wapiti River was one of enrichment. This results from the organic and inorganic nutrient load in the pulp mill main effluent and, probably to a lesser extent, in the Grande Prairie sewage effluent. Both benthic

chlorophyll a (a measure of algal biomass) and benthic invertebrates tended to be more abundant downstream of the effluents, at least in shallow waters where, because of logistical constraints, sampling is carried out. This trend may have been counteracted to an unknown extent in deeper parts of the river, due to reduced light penetration resulting from the greater colour downstream of the pulp mill.

The winter survey in February of 1991 was conducted during the lowest flow period of the year. The zoobenthic data has yet to be analyzed in detail, but do not indicate marked toxic effects based on the taxonomic composition and abundance of invertebrates. Total numbers generally were higher downstream of the effluents whereas the number of taxa was similar upstream and downstream (Appendix 5). There appeared to be some decline in mayflies (Ephemeroptera) and stoneflies (Plecoptera) downstream of the effluents but it is not known whether this was due to toxicity or eutrophication (enrichment). These groups are known to decline in enriched situations whereas Chironomidae and Oligochaeta generally increase, as was the case here.

Comparison to Previous Surveys

The work in 1983 included a spring, summer, fall, and winter survey, and concentrated primarily on the Smoky River (Noton et al 1989). The 1987-91 work involved more sites on the Wapiti River, more surveys during low flows, and more variables, particularly organic contaminants. Trace organic analyses have improved considerably since 1983, especially for chlorinated phenolics and resin acids. Consequently the 1987-91 work indicates somewhat more impact, although by and large the findings between the two groups of surveys are similar (Table 2).

L. Noton
Environmental Quality Monitoring Branch
May 1992

WQ-WAPSM.LRN

TABLE 2. SUMMARY OF FINDINGS AND COMPARISON WITH 1983 SURVEY

Variables Affected By Effluents		Variables Non-compliant Mostly Due to Effluents	
1987-91	1983	1987-91	1983
Temperature			
Odour	Odour	Odour	Odour
Colour	Colour	Colour	Colour
Turbidity			
Suspended solids	Suspended solids		
Oxygen			
Na, Cl, SO ₄ , TDS	Na, Cl, SO ₄ , TDS	TDS	
Sulphide	na	Sulphide	na
Al, Cr, Mn, Zn	Mn, Zn	Cr, Mn	Mn
NH ₃ -N, Total N, P	NH ₃ -N, Total N, P	Total N, Total P	Total P
Phenolics	Phenolics	Phenolics	Phenolics
Organic C	Organic C		
Tannin and lignin	Tannin and lignin		
Resin acids	na		
Chlorophenolics		Dichlorophenol	
Chloroform	Chloroform		
Dioxins/furans	na	Dioxin/furan in fish	na
"Tent. identified" trace organic compounds	"Other" trace organic compounds		
AOX	na		
Bacteria	Bacteria	Total coliforms	Total coliforms
Benthos (enrichment)	Benthos (enrichment)		

na = not analyzed

REFERENCES

- Casey, R.J. 1990. Sediment oxygen demand during the winter in the Athabasca River and the Wapiti-Smoky River system, 1990. Prep. for Alta. Environ., Stds. & Approvals Div., and Env. Assess Div. 49 pp.
- Macdonald, G. and B.R. Taylor. 1990 (DRAFT). Implementation of water quality models for the Wapiti-Smoky and Peace River systems. Prep. for Alta. Environ., Standards and Approvals Div., by HydroQual Canada Ltd. 127 pp. + Append.
- Noton, L.R. 1990. Adsorbable organic halide sampling in the Athabasca and Wapiti-Smoky Rivers, fall and winter 1989-90. Alta. Environ., Environ. Quality Mon. Br., 17 pp.
- Noton, L.R., A.M. Anderson, T.B. Reynoldson, and J. Kostler. 1989. Water quality in the Wapiti-Smoky River system downstream of the Procter and Gamble pulp mill, 1983. Alta. Environ., Environ. Quality Mon. Br., 113 pp.





Figure 1. Sampling Sites





**WAPITI RIVER
SAMPLING SITES
1987-91
ALBERTA**

0 2000 4000 metres
SCALE

Alberta
ENVIRONMENT
Environmental Quality
Monitoring Branch



APPENDIX 1. WATER QUALITY DATA FROM SYNOPTIC SURVEYS

- March 1989
- October 1989
- February-March 1990
- February-March 1991

WAPITI & SMOKY RIVER SURVEY: MARCH 1989

[illegible]

[illegible]

STATION	CODE	D	M	Y	CARBON TOTAL ORG	CARBON PARTIC 0600SL	CARBON DISS ORG	CARBON INORG 0611L	BOC 5 DAY 0621L	COD TOTAL 0631L	OIL AND GREASE 0651L	PHENOL 0651L	TANNIN AND LIGNIN 0651L	COLI TOTAL NO/L 3601L	COLI FECAL NO/L 3601L
WAPTIR AT HWY408R-C	00AL07GE2015	1	3	89	14		11		15	8.5		0.002	0.2	6	L1 000
WAPTIR AT HWY408R-C	00AL07GE2015	1	3	89	12		12		17	L5 000		0.001	0.3	8	L1 000
WAPTIR AT HWY408R-C	00AL07GE2015	1	3	89	14		13		03	L5 000		L 0010	0.3		
WAPTIR AT HWY408R-C	00AL07GE2015	1	3	89	14		13		92	L5 000		0.089	9.9	1760	130
WAPTIR AT HWY408R-C	00AL07GE2015	1	3	89	14		14		96	56					
WAPTIR AT HWY408R-C	00AL07GE2060	2	3	89	24		23.5		94						
WAPTIR AT HWY408R-C	00AL07GE2060	2	3	89					83	51		0.072	10.1	12200	20
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					79						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					83						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					57	47		0.044	9	530	10
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					63						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					57						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					63	8		L 0010	0.4	20	L1 000
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					13						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					16	34		L 0001	0.8	60	30
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					17						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					21	28.2		0.013	3.4	90	L1 000
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					25						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					26	24		0.008	3.6	26	2
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					21						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.94	21.5		0.008	3.6	8	2
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					1						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.78	17		L 0010	1	6	2
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.7						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.5						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.8						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					1.4	17		0.011	3.1	6	L1 000
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					12						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					15						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.6	9		0.011	2.7	L1 000	L1 000
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					15						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					1	16		0.013	2.7	2	L1 000
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					0.9						
WAPTIR AT HWY408R-C	00AL07GE4050	2	3	89					11						
GR PRAR SEW EFFL GRB	21AL07GE1000	2	3	89	319		14.4		10.3	45	0.78	0.017	1.74	16400	4700
PAG SECPND LAG EFFCAMP	20AL07GE9001	2	3	89	142		334		87	1180	1.85	1.25	87	1300	400
PAG SECPND LAG EFFCAMP	20AL07GE9001	2	3	89					75						
PAG STORMSEW EFF GRAS	20AL07GE9003	2	3	89	0.87		0.9		1.8	L4	0.22	0.001	L 0.05		

Results as mg/L unless noted
 ** - more than one analytical code may be included, u - upstream, u - left, C - centre, R - right, LR - left/right comp.
 F - field measurement, L - lab analysis

WAPITI & SMOXY RIVER SURVEY: OCTOBER 1989

STATION	CODE	D	M	Y	DISCHG 9/11°F	TEMP DEGC 020°F	PH	COND USCM 020°F	OXYGEN METER O2 081°F	TURB NTU 020°F	COLOUR TRUE REL UN 020°F	ODOUR THRESH NO 0200/L	NON FLT RES 104°F	FILT RES 104°F	COND USCM 020°F
WAPITI R KU BEDWI R-C	00AL070C1000	2	10	89		7.2	8.5	314	10.7	34	30	1	22	176	315
WAPITI R AT HWY408R-C	00AL070E2015	2	10	89		8.9	8.7	325	10.4	42	30	1	30	180	324
WAPITI R AT HWY408R-C	00AL070E2015	2	10	89						41	30	1	28	180	326
WAPITI R AT HWY408R-C	00AL070E2015	2	10	89	66.9					42	30	1	28.7	179	323
WAPITI R SHD GR P STP-R	00AL070E2250	3	10	89		7.4	8.2	322	10.8		30	1	19	180	330
WAPITI R D P&G HAULRD-C	00AL070E2300	3	10	89		8.3	8.5	321	10.5		30	1			
WAPITI R KU P&G EL-LC	00AL070E2350	3	10	89	4.66	7.2	8.4	326	10.3	34	30	1	29.6	181	334
BIG MTN CK NR MOUTH	00AL070E2400	3	10	89		7.1	8.2	293	11.2	215	200	1	30.5	169	289
WAPITI R AT R BR-L	00AL070E3050	3	10	89		9.1	8.3	379	10.8						
WAPITI R AT R BR-L	00AL070E3054	3	10	89		8.8	8.6	377	10.8						
WAPITI R AT R BR-R	00AL070E3056	3	10	89		8.7	8.4	376	10.7						
WAPITI R AT R BR-L	00AL070E3060	3	10	89		8.7	8.3	371	10.7						
WAPITI R AT R BR-R	00AL070E3065	3	10	89		8.6	8.1	369	10.6	44	60	1	41.4	205	377
WAPITI R KU BEAR R-C	00AL070E3500	3	10	89		9.1	8.4	375	10.5						
BEAR R NR MOUTH-C	00AL070E4050	3	10	89	2.23	8.1	8.2	375	10.3	32	60	1	18	205.9	379
BEAR R NR MOUTH-C	00AL070E4500	3	10	89											
WAPITI R KU MOUTH-C	00AL070E5000	4	10	89		6.5	8.2	368	10.7	156	100	1	141	226.5	375
WAPITI R KU MOUTH-C	00AL070E5000	4	10	89		8.1	8.2	374	10.7	48	60	2			
SMOXY R U WAPITI R-L	00AL070E1000	4	10	89		8.2	8.2	374	10.7				38.4	206.1	378
SMOXY R U WAPITI R-L	00AL070E1005	4	10	89		7.5	8.1	325	10.9						
SMOXY R U WAPITI R-L	00AL070E1015	4	10	89		7.6	8.1	324	10.9	25	30	1	21.2	177.5	329
SMOXY R U WAPITI R-L	00AL070E3500	3	10	89	28.7										
SMOXY R U WAPITI R-L	00AL070E3500	3	10	89		7.8	8.3	341	10.8	58	100	1	90	190.4	347
SMOXY R BEZANSON BR-C	00AL070E4050	3	10	89		6.7	8.3	343	11.3	37	40	1	38	191.3	351
SMOXY R KU PUSKWAU R-C	00AL070E4200	5	10	89		7	8.2	346	11.4						
PUSKWAU R NR MTH-C	00AL070E4203	5	10	89	0.547	4.2	8.3	373	12.1	28	100	1	64	215.8	262
BAO HEART R NR MTH-C	00AL070E42034	5	10	89	0.753	4.4	8.7	536	12.2	138	150	1	174	322.4	547
L SMOXY R NR MOUTH	00AL070E1500	5	10	89	33	6.8	8.3	257	11	63	150	1	24	142.6	383
SMOXY R AT WATINO-C	00AL070E2060	5	10	89	254	7.2	8.2	334	11.2	52	40	1	47.5	183.9	339
SMOXY R NR MOUTH-C	00AL070E5000	5	10	89		8.5	8.2	348	11.7	42	40	1	45	194.3	356
GR PRAIR SEW EFFL GRB	21AL070E1000	2	10	89	0.214					18	40	1	6.1	536	962
GR PRAIR SEW EFFL GRB	21AL070E1000	3	10	89		12.6	7.6	968	3		30	1	2		
GR PRAIR SEW EFFL GRB	21AL070E1000	3	10	89	0.214										
GR PRAIR SEW EFFL GRB	21AL070E1000	2	10	89	0.214					18	40	1	6.1		
GR PRAIR SEW EFFL GRB	21AL070E1000	3	10	89	0.214						30	1	2		
P&G SECPND LAG EFFGRB	20AL070E8000	2	10	89	0.713										
P&G SECPND LAG EFFGRB	20AL070E8000	3	10	89		25.5	7	4220	0.3						
P&G SECPND LAG EFFCMP	20AL070E8001	2	10	89											
P&G SECPND LAG EFFCMP	20AL070E8001	3	10	89	0.749					60	2388	512	144	2742	4350
P&G SECPND LAG EFFCMP	20AL070E8001	3	10	89		21.2	7.5	359	8	500	2388	512	941	198.6	361
P&G SECPND LAG EFFCMP	20AL070E8003	3	10	89							20	1			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89		25.4	7.1	4210	5.3	60	2000	256	164	2742	4360
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	256			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							858	32			
P&G SECPND LAG EFFCMP	20AL070E8005	3	10	89							2000	25			

STATION	CODE	D	M	Y	ALK TOTAL CaCO3	PH	Na DISS	K DISS	Ca DISS	Mg DISS	HCO3 LAB CALCD	CO3 LAB CALCD	Cl DISS	SO4 DISS	F DISS	SILICA REACT SiO2	CN	S- DISS
					10 ³ L	103 L	111 L	181 L	201 L	121 L	06202L	06302L	172 L	163 L	091 L	141 L	066 L	181 L
WAPT R SKU REDWI R-C	00AL07GC1000	2	10	88	151	8.2	6.3	0.85	47.8	11.1	185	15000	1	16.4	0.07	3.9	L.001	0.004
WAPT R AT HWY408R-C	00AL07GE2015	2	10	88	154	8.31	7	0.87	48.5	11.3	186	15000	0.8	17.5	0.1	3.9	L.0010	0.003
WAPT R AT HWY408R-C	00AL07GE2015	2	10	88	156	8.24	7.2	0.92	47.4	11.2	190	15000	0.7	17.2	0.1	3.84	L.0010	0.005
WAPT R AT HWY408R-C	00AL07GE2015	2	10	88	155	8.2	7	0.91	47.2	11.4	189	15000	0.7	17.4	0.11	3.8	L.0010	0.003
WAPT R SKD GR P STP-R	00AL07GE2250	3	10	88	156	7.98	6.6	0.89	46.9	11.2	190.16	15000	1.6	17.6	0.11	3.84	L.0010	0.004
WAPT R D PAG HALLRD-C	00AL07GE2200	3	10	88	155	8.02	7	0.9	47.6	11.2	188.55	15000	1.3	18.2	0.11	3.87	L.0010	0.016
WAPT R 1KU PAG EFL-LC	00AL07GE2350	3	10	88	140	7.82	8.5	2.87	39.5	12.3	170.66	15000	5.5	14.5	0.1	6.3	L.001	0.015
BIG MTN CK NR MOUTH	00AL07GE2400	3	10	88	153	7.99	14.8	1.12	47.8	11.1	186.51	15000	11.9	25.1	0.11	4.05	L.0010	0.02
WAPT R AT R BR-LR	00AL07GE3060	4	10	88	157	8.02	15.1	1.15	46.9	11.1	181.38	15000	11.8	24.4	0.1	4	L.0010	0.012
WAPT R 1KU BEAR R-C	00AL07GE4050	4	10	88	145	7.86	22.5	6.3	38.2	11.8	176.76	15000	32.3	26.6	0.16	8.56	L.0010	0.012
BEAR R NR MOUTH-C	00AL07GE4500	4	10	88	144	7.86	22.5	6.3	38.2	11.8	176.76	15000	12.3	24.3	0.1	4.2	L.0010	0.014
WAPT R U SMOKY R-C	00AL07GJ1000	4	10	88	156	8.04	15	1.28	46.9	11.2	190.16	15000	12	29.8	0.11	3.64	L.0010	0.005
SMOKY R U WAPT R R	00AL07GF1015	4	10	88	140	8.15	4.8	0.75	43.3	12.5	170.66	15000	2.2	11.9	0.11	6.7	L.0010	0.01
SMOKY R U WAPT R R	00AL07GF1015	4	10	88	173	8.13	8.2	1.78	49.6	10.7	210.89	15000	4.7	25.4	0.12	4.25	L.0010	0.008
SMOKY R BEZANSON BR-C	00AL07GJ3020	5	10	88	152	8.06	8.5	1.04	46.8	12.3	185.28	15000	2.8	40.7	0.12	6.42	L.0010	0.005
PUSKASKAU R NR MTH-C	00AL07GJ2032	5	10	88	153	8.06	14.3	3.95	47.9	13.1	186.51	15000	7.1	79.5	0.17	7.66	L.0010	0.007
BAD HEART R NR MTH-C	00AL07GL2034	5	10	88	165	8.03	50.5	6	46.6	13.5	237.71	15000	3.5	12.2	0.09	5.06	L.0010	0.007
L SMOKY R NR MOUTH	00AL07GH1500	5	10	88	120	7.87	9.3	1.68	35.3	7.6	146.28	15000	5	24.5	0.1	4.34	L.0010	0.006
SMOKY R AT WATINO-C	00AL07GJ2050	5	10	88	146	8.07	8.8	1.33	43.9	11.3	177.97	15000	6.4	27.3	0.11	4.34	L.0010	0.006
SMOKY R NR MOUTH-C	00AL07GJ5000	5	10	88	150	8.1	10.5	1.3	45.6	11.7	182.85	15000	9.3	116	0.92	7.25	L.0010	0.006
GR PRAR SEW EFFL GRB	21AL07GE1000	2	10	88						24.4	235	L.5000						177
PAG SEC PND LAG EFF GRB	20AL07GE8000	3	10	88					274	14.9	234.05	L.5000	860	812	0.15	11.8	0.001	0.82
PAG SEC PND LAG EFF GRB	20AL07GE8001	3	10	88	192	7.54	654	10.4				L.5000						177
PAG SEC PND LAG EFF GRB	20AL07GE8001	3	10	88	136	7.6	8.2	0.93	47.7	11.2	165.78	L.5000	1.9	45.6	L.0500	1.44	0.001	0.005
PAG STORM SEW EFF GRAB	20AL07GE8003	3	10	88	197	7.43	674	11.4	276	14.9	240.14	L.5000	870	775	0.15	12	0.001	0.58
PAG FOAM PND EFF GRAB	20AL07GE8005	3	10	88								L.5000						165
PAG FOAM PND EFF GRAB	20AL07GE8005	3	10	88								L.5000						165
WAPT R SKU REDWI R-C	00AL07GC1000	2	10	88	L.0050	0.02	0.64	L.0010	0.003	0.023	1.16	L.0010	L.0010	0.003	0.003	0.0008	L.0002	
WAPT R AT HWY408R-C	00AL07GE2015	2	10	88	L.0050	0.01	0.77	0.003	0.002	0.023	1.54	L.0010	L.0010	0.003	0.005	0.0012	L.0002	
WAPT R AT HWY408R-C	00AL07GE2015	2	10	88	L.0050	0.02	0.93	0.002	0.003	0.029	1.61	L.0010	L.0010	0.003	0.006	0.0009	L.0002	
WAPT R SKD GR P STP-R	00AL07GE2250	3	10	88	L.0050	0.01	0.56	0.002	0.001	0.024	1.11	L.0010	L.0010	0.003	0.003	0.001	L.0002	
WAPT R 1KU PAG EFL-LC	00AL07GE2350	3	10	88	L.0012	0.03	0.77	0.002	0.002	0.024	1.27	L.0010	L.0010	0.005	0.003	0.0007	L.0002	
BIG MTN CK NR MOUTH	00AL07GE2400	3	10	88	L.0017	0.06	0.76	0.015	0.007	0.18	9.62	L.0010	L.0010	0.013	0.013	0.0039	L.0005	
WAPT R AT R BR-LR	00AL07GE3060	3	10	88	L.0013	0.11	0.78	0.001	0.005	0.045	1.79	L.0010	L.0010	0.005	0.004	0.0014	L.0002	
WAPT R 1KU BEAR R-C	00AL07GE3500	3	10	88	L.0012	0.03	0.67	L.0010	0.006	0.036	1.21	L.0010	L.0010	0.004	0.012	0.0007	L.0002	
BEAR R NR MOUTH-C	00AL07GE4050	4	10	88	L.0015	0.1	1.46	0.015	0.008	0.1	6.95	L.0010	L.0010	0.012	0.032	0.0075	L.0007	
WAPT R 1KU MOUTH-C	00AL07GE5000	4	10	88	L.0012	0.02	0.97	0.004	0.006	0.041	2.84	L.0010	L.0010	0.006	0.02	0.0011	L.0002	
WAPT R U SMOKY R-C	00AL07GJ1000	4	10	88	L.0011	0.02	0.43	0.002	0.004	0.015	1.91	L.0010	L.0010	0.005	0.012	0.0005	L.0002	
SMOKY R U WAPT R R	00AL07GF1015	4	10	88	L.0015	0.05	1.48	0.006	0.005	0.078	4.27	L.0010	L.0010	0.008	0.014	0.0026	L.0002	
SMOKY R NR MOUTH	00AL07GJ2020	5	10	88	L.0014	0.03	0.64	L.0010	0.003	0.031	1.63	L.0010	L.0010	0.006	0.01	0.0008	L.0002	
SMOKY R BEZANSON BR-C	00AL07GJ2032	5	10	88	L.0023	0.03	0.81	0.003	0.003	0.099	4.02	L.0010	L.0010	0.01	0.006	0.0002	L.0002	
PUSKASKAU R NR MTH-C	00AL07GJ2034	5	10	88	L.0027	0.15	4.03	0.018	0.005	0.13	8.34	L.0010	L.0010	0.01	0.022	0.0056	L.0005	
BAD HEART R NR MTH-C	00AL07GH1500	5	10	88	L.0014	0.01	0.35	L.0010	0.004	0.03	1.66	L.0010	L.0010	0.007	0.004	0.0014	L.0002	
L SMOKY R NR MOUTH	00AL07GH1500	5	10	88	L.0010	0.03	0.96	0.003	0.004	0.037	2.35	L.0010	L.0010	0.008	0.012	0.0011	L.0002	
SMOKY R AT WATINO-C	00AL07GJ2050	5	10	88	L.0015	0.03	0.35	0.003	0.004	0.046	2.81	L.0010	L.0010	0.008	0.014	0.0013	L.0002	
SMOKY R NR MOUTH-C	00AL07GJ5000	5	10	88	L.0016	0.03	1.03	0.007	0.006	0.046	2.81	L.0010	L.0010	0.008	0.015	0.0015	L.0002	
GR PRAR SEW EFFL GRB	21AL07GE1000	2	10	88	L.0005	0.02	0.03	0.001	0.001	0.018	0.13	L.0010	L.0010	0.004	0.015	0.0015	L.0004	
PAG SEC PND LAG EFF GRB	20AL07GE8001	3	10	88	L.0028	0.22	0.4	0.016	0.38	0.92	1.08	L.0010	L.0010	0.006	0.1	0.0008	L.0002	
PAG STORM SEW EFF GRAB	20AL07GE8003	3	10	88	L.0010	0.05	100	0.028	0.014	0.04	18.2	L.0010	L.0010	0.005	0.048	0.0065	L.0001	
PAG FOAM PND EFF GRAB	20AL07GE8005	3	10	88	L.0010	0.03	0.46	L.0010	0.36	0.87	1.04	L.0010	L.0010	0.005	0.1	0.002	L.0002	

STATION	CODE	D	M	Y	N	TKN	N	TOTAL	NH3	P	DISS	P	CARBON	CARBON	DISS	ORG	BOO	BOO	BOO	COO	OIL	PHENOL	TANNIN	SURFAC
					070	075	075	075	075	150	011	150	060	061	061	061	082	082	083	083	083	083	083	107
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.4	8.01	L.0030	0.03	0.003	5.9	5.7	L.0000	L.01	8	L.1000	0.001	0.4	0.06						
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.61	8.61																		
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.61	8.61																		
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18	17.5	L.0000												
SMOKY R U WAPITI R-R	00AL07GF1015	4	10	88	0.62	0.03	L.0030	0.116	0.012	18</														

Results as noted unless noted

STATION	CODE	D	M	Y	DISCHG M3/S 971°F	TEMP DEG C 520°F	PH	COND US/CM 520°F	OXYGEN METER O2 081°F	OXYGEN WINKLER O2 081°F	TURB NTU 020°L	COLOR TRUE REL UN 020°L	ODOUR THRESH NO 02001L	NON FILT RES 104°L	FILT RES 104°L	COND US/CM 020°L	ALK TOTAL CaCO3 101°L
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90		0	8.2	371	11.5	12	2.2	10	1	9	220	345	178
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90						12	1.6	10	1	9	220	341	179
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90	13					12.04	1.6	10	1	13	220	345	177
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90		-0.1	8.2	364	11.5	11.94		10		6			
WAPT R SKD GR P STP-R	00AL07GE2250	27	2	90		-0.3	8.3	365	11.6	11.91	2.2	10	1	14	220	366	180
WAPT R SKD GR P STP-R	00AL07GE2250	27	2	90						11.9		10		13			
WAPT R D PAG HAULRD-C	00AL07GE2350	27	2	90		0	8.3	385	11.6	11.9		10					
WAPT R D PAG HAULRD-C	00AL07GE2350	27	2	90						11.93		100	2	342	400	615	314
WAPT R KU PAG EFLC	00AL07GE2350	27	2	90	0.172	0	8.6	610	13	12.9	200						
BIG MTN CK NR MOUTH	00AL07GE2400	27	2	90						12.93							
BIG MTN CK NR MOUTH	00AL07GE2400	27	2	90		0.6	8.1	589	11.6	11.52							
WAPITI R AT R BR-L	00AL07GE3050	28	2	90						11.67	6.4	200	4	14	330	591	181
WAPITI R AT R BR-L	00AL07GE3050	28	2	90						11.75							
WAPITI R AT R BR-L	00AL07GE3060	28	2	90		0.8	8.3	547	11.4	11.67							
WAPITI R AT R BR-L	00AL07GE3065	28	2	90		0	8.2	565	11.9	11.96							
WAPT R10KD PAG EFL-RC	00AL07GE3500	28	2	90						11.86							
WAPT R10KD PAG EFL-RC	00AL07GE3500	28	2	90		0.1	8.2	569	10.7	10.83	6.8	160	8	330	591	183	
WAPT R10KD PAG EFL-RC	00AL07GE4050	28	2	90						10.85				6			
WAPT R10KD PAG EFL-RC	00AL07GE4050	28	2	90		-0.1	8.1	567	10.2	10.77							
WAPT R10KD PAG EFL-RC	00AL07GE5000	28	2	90		-0.2	8.2	568	10.1	9.89	5	120	64	10	330	588	184
WAPT R10KD PAG EFL-RC	00AL07GE5000	28	2	90						9.79							
WAPT R10KD PAG EFL-RC	00AL07GJ1000	1	3	90	24.7					9.74							
WAPT R10KD PAG EFL-RC	00AL07GJ1000	1	3	90		-0.1	8	449	12.3	11.8	2	10	4	4	265	469	164
WAPT R10KD PAG EFL-RC	00AL07GF1015	1	3	90						11.89							
WAPT R10KD PAG EFL-RC	00AL07GF1015	1	3	90		-0.2	7.8	570	10.2	10.51	12	30	1	L 4000	340	585	297
WAPT R10KD PAG EFL-RC	00AL07GF3500	1	3	90	3.16					11.04							
WAPT R10KD PAG EFL-RC	00AL07GF3500	2	3	90		-0.1	8.2	468	11.1	11.06	12	50	1	21	268	482	176
WAPT R10KD PAG EFL-RC	00AL07GJ2020	6	3	90						10.99							
WAPT R10KD PAG EFL-RC	00AL07GJ2020	6	3	90		-0.1	8.1	487	10.5	10.39	4.4	50	8	279	500		

[illegible]


STATION	CODE	D	M	Y	COLI TOTAL NO/L 360°L	FECAL NO/L 360°L	CHLORO PHYLLA MG/43 067°L
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90	198	L4	L0.1
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90	184	L4	
WAPITI R AT HWY408R-C	00AL07GE2015	27	2	90	212	4	
WAPT R 6KD GR P STP-R	00AL07GE2250	27	2	90	2100	124	0.1
WAPT R D PAG HALL RD-C	00AL07GE2200	27	2	90	1900	90	
WAPT R IKU PAG EFF-LC	00AL07GE2350	27	2	90	1800	64	0.3
WAPT R AT R BR-R	00AL07GE3065	28	2	90	1400	88	0.3
WAPT R IKU BEAR R-C	00AL07GE4050	28	2	90	12	12	0.3
WAPT R U SMOKY R-C	00AL07GJ1000	1	3	90	450	16	0.1
SMOKY R U WAPITI R-R	00AL07GF1015	1	3	90	24	L4	
SMOKETTE R NR MOUTH	00AL07GF3500	1	3	90	84	28	0.2
SMOKY R BEZANSON BR-C	00AL07GJ2020	6	3	90	2900	36	
SMOKY IKU PUSKWAU R-C	00AL07GJ2030	6	3	90	310	4	
PUSKWAU R NR MTH-C	00AL07GJ2032	6	3	90	250	4	
BAD HEART R NR MTH-C	00AL07GJ2034	6	3	90	3900	L10	
SMOKY R 25KU LSKYR-C	00AL07GJ2050	7	3	90	84	L4	
L SMOKY R NR MOUTH	00AL07GH1500	7	3	90	430	3	0.8
SMOKY R AT WATINO-C	00AL07GJ2060	7	3	90	310	L4	0.2
SMOKY R SITE SEC-C	00AL07GJ4000	7	3	90	204	4	
SMOKY R NR MOUTH-C	00AL07GJ5000	7	3	90	156	16	L0.1
GR PRAIR SEW EFFL GRB	21AL07GE1000	27	2	90	65000	2600	3.3
GR PRAIR SEW EFFL GRB	21AL07GE1000	27	2	90	75000	950	
PAG STORMSEW EFF GRAB	20AL07GE9003	28	2	90	L10	L10	

Results are mg/L unless noted
 ** - more than one analytical code may be included; k - kilometre, u - upstream of, d - downstream of.
 L - left, C - centre, R - right, LR - left/right camp, F - field measurement, L - lab analysis

WAPITI - SMOKEY RIVER SURVEY - FEBRUARY-MARCH 1981

[illegible][illegible]

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525



APPENDIX 2. WATER QUALITY DATA FROM MEDIUM AND LONG TERM
RIVER NETWORK SITES.

- Wapiti River at Hwy 40 near Grande Prairie	00AL07GE2015
- Wapiti River near Mouth	00AL07GJ1000
- Smoky River at Watino	00AL07GJ0001

DISCHG		TEMP	PH	COND	OXYGEN	OXYGEN	NON	TURB	COLOUR	COLOUR	ODOUR	NON	FILT	FILT	TDS	TDS	COND	HARDNESS	
D	M	Y	DEG.C	163°F	USCM	METER	QZ	NTU	REL.U	TRUE	THRESH	FILT	RES	RES	(µPP)	USCM	CMH	ALK	TOTAL
871°F			80°F		CMH	QZ	CMH	CMH	CMH	CMH	CMH	CMH	CMH	CMH	CMH	CMH	CMH	CMH	CMH
1	3	88			250				5			L4000	210	L4000				158	185.24
1	3	88							5			L4000	210	L4000				162	187.24
6	3	88							10			L4000	210	L4000				161	186.4
2	10	88	8.8	8.7	325	10.4		42	30	30	1	30	180	30		324		154	167.6
2	10	88						41	30	30	1	28	180	30		326		154	164.5
2	10	88	12.2					42	30	30	1	28.7	170			323		155	164.8
23	2	80																	
27	2	80	0	8.2	371	11.5	12	2.2	10	10	1	0	220	220		385		178	184.07
27	2	80					12	1.6	10	10	1	0	220	220		381		178	184.30
27	2	80					12.04	1.3	10	10	1	1.3	220	220		385		177	185.57
27	2	80																	
11	10	80																	
8	1	81	3	8.3	368	12.1	12.18	3.6	4.2	4.5	1.1	3.6	215	215		347		160	160.5
8	1	81					11.58	1.6	1.5	1.5	1.1	1.6	227	227		400		175	186.7
27	2	81		7.76	385	12.1	11.86	5.6	12.6	1.5	1.1	5.6	227	227		424		170	183.5
27	2	81																	
27	2	81	0.02	8	381	12.63	12.28	1.3	6	6	1	1.3	222	212	208	384		169	185
27	2	81																	
27	2	81																	
27	2	81	0.08	7.66	388	12.64	12.46	15.6	0.4	4.5	1.1	15.6	223	223		403		164	189
22	8	81	6.3	8.2	250	11.1	11.04	17.6	17.6	40	1.1	17.5	131	131		242		110	120.7
5	11	81	17.7	8.2	249	8	8.85	7.6	1.3	1.5	1.1	7.6	130	130		260		114	124.5
8	1	82	-0.4	7.8	381	12.7	13.54	36	1.8	1.5	1.1	36	195	165		346		167	167.4
5	2	82						1.5	1.5	1.5	1.1	2.4	215	215		373		170	184.8
5	2	82						0.4	4.5	4.5	1.1	1.4	196	196		367		160	179.4
PH	Na	DSS	K	DSS	Ca	Mn	HCO3	Cl	SOM	F	SILICA	CH	S-	Li	Be	Be	B	TOTAL	
103°F	111°F	181°F	181°F	261°F	181°F	181°F	181°F	172°F	163°F	181°F	181°F	181°F	161°F	181°F	181°F	181°F	181°F	181°F	181°F
1	3	89	7.85	0.39	54.2	13.3	183.82	0.9	36	0.1	3.54							0.01	
1	3	89	7.8																

WATER QUALITY DATA - WAPITI RIVER NEAR MOUTH (u/s of Smoky R.) - 00AL07GJ1000

D	M	Y	TEMP DEG.C 020°F	PH	COND US/CM 020°F	OXYGEN METER O2 081°F	OXYGEN WINKLR O2 081°F	TURB NTU 020°F	COLOUR TRUE REL UN 020°F	ODOUR THRESH NO 020°F	NOM FILT RES 104°F	FILT RES 104°F	TDS CALCD 002°F	TDS (DIFF) 002°F	COND US/CM 020°F	ALK TOTAL CaCO3 101°F	HARDNS TOTAL CaCO3 106°F	PH	
3	3	89			735		8.4		250		6.49	570				179		7.9	
3	3	89	0				9												
3	3	89					8.6												
4	10	89	8.2	8.2	374	10.7		48	60	1	38.4	206.1			378	156	163.35	8.04	
1	3	90	-0.2	8.2	568	10.1	9.89	5	120	64	10	330			588	184	197.4	8.09	
1	3	90					9.79												
1	3	90					9.74												
11	10	90	3.6	8.3	403	12.2	12.18	12	20	L1	7.6	232			393	162	174.2	7.79	
8	1	91						3.9	60	8	3.2	280			488	185	199.3	7.86	
8	1	91	-0.4	7.3	533	10.8		28	50	2	82.8	315			567	182	206.4	7.93	
8	1	91						5.5	50	2	10.8	332			556	182	206.7	7.94	
8	1	91						8.7	60	2	22.3	337			554	185	208.9	7.96	
6	2	91		7.4	568	10.76		21.5	60	2	17.3	343			617	190	203.6	7.94	
28	2	91	0						79	4	16	348	293	332	511	177	207	7.76	
19	3	91	-0.04	7.95	548	12.07		1	80	2	21.6	306			556	173	206.4	8.05	
19	3	91						0.8	80	2	22.4	308			556	174	207.7	8.04	
19	3	91						0.9	80	2	24	305			556	172	206.7	8.04	
19	3	91																	
2	5	91	7.1	8.4	266		10.94	211	40	L1	243	138			251	110	121.5	8	
22	8	91	19.1	8.3	290	9.1	8.84	1.3	20	L1	6.4	163			307	121	128	8.15	
5	11	91	-0.3	8.2	442	12	12.4	10	40	L1	5.6	244			426	170	176.6	7.99	
8	1	92						4.2	70	8	2.4	281			490	186	198.9	7.86	
6	1	92																	
5	2	92																	
D	M	Y	Na DISS 111°F	K DISS 191°F	Ca DISS 201°F	Mg DISS 121°F	HCO3 LAB CALCD 062°F	CO3 LAB CALCD 063°F	Cl DISS 172°F	SO4 DISS 163°F	F DISS 091°F	SILICA REACT SHO2 141°F	CN 066°F	S- DISS 161°F	LI TOTAL 030°F	Ba TOTAL 040°F	Be DISS 041°F	B TOTAL 050°F	B DISS 051°F
3	3	89	81.5	2.2	81.5	14.6	218	L5000	111	105		4.5							
3	3	89																	
4	10	89	15	1.28	46.9	11.2	190.16	L5000	12.3	24.3	0.1	4.2	L0010	0.014	0.012	L0010		0.02	
1	3	90	39.8	1.55	56.9	13.4	224.3	L5000	38.5	67	0.14	3.9	L0010	0.057	0.02	0.001		0.02	
11	10	90	18.4	1.58	50.4	11.7	197.5	L0.5	8.1	42.9	0.13	2.25		0.002					
8	1	91					225.5	L0.5			0.11	3.98							
8	1	91	39.4	1.88	60.5	13.4	221.9	L0.5	34.5	61.2	0.12	4.28		0.042				L0.01	
8	1	91	40	1.87	60.8	13.3	221.9	L0.5	33.5	71	0.12	4.2		0.024				L0.01	
8	1	91	39.8	1.85	61.5	13.4	225.5	L0.5	35.5	72	0.12			0.042				L0.01	
6	2	91	47.4	2.06	59.7	13.2	211.6	L0.5	31.2	73.4	0.1	4.35		0.038				0.02	
28	2	91	27	8.2	60	14	216		26.2	51	0.12	20.1		0.023			L0.01		
19	3	91	35.8	1.76	60.5	13.4	210.9	L0.5	30	59	0.1	3.72		0.034				0.02	
19	3	91	35.8	1.74	61.2	13.3	212.1	L0.5	29.5	60	0.1	3.72		0.034				0.02	
19	3	91	35.6	1.59	60.8	13.3	209.7	L0.5	29	59.5	0.11	3.65		0.035				0.02	
19	3	91															L0.01		
2	5	91	6.1	1.02	34.1	8.8	134.1	L0.5	4.1	16.4	0.08	3.8		0.035				0.02	
22	8	91	9.28	0.67	37.2	8.5	147.5	L0.5	7.8	25.6	0.1	2.55		L0.001				0.02	
5	11	91	20.8	1.41	50.9	12	207.2	L0.5	12.7	43	0.07	3.37		0.016				0.02	
8	1	92	25.6	1.15	58.5	12.8	226.7	L0.5	22.7	47	0.11	3.98		0.015				0.02	
8	1	92																	
8	1	92																	
5	2	92	31.6	1.32	57	12	195	L0.5	21.9	46.6	0.12	3.79		0.013				0.02	

D	M	Y	Al		V	Cr	Mn	Mn	Fe	Fe	Co	Ni	Cu	Cu	Zn	Zn	As	Se
			TOTAL	EXT														
3	3	80																
4	10	89	0.97	0.09	0.004	0.006	0.041				L 0010	0.008	0.005		0.012	0.014	0.0011	L 0002
1	3	90	0.17		0.005	0.018	0.038		0.23		L 0010	0.004			0.01		0.0004	L 0002
11	10	90					0.036						L 0001					
8	1	91					0.045						0.002		0.005			
8	1	91					0.084						0.002		0.007			
8	1	91					0.09						0.002		0.009			
8	1	91					0.085						0.002		0.013			
6	2	91					0.13						0.002		0.012			
26	2	91			0.002	0.002	0.065		0.427		L 001	0.003	0.002		0.005			L 0001
19	3	91	0.139				0.1						0.002		0.012		0.0004	
19	3	91					0.096						0.004		0.016			
19	3	91					0.099						0.002		0.024			
2	5	91					0.11						0.007		0.021			
22	8	91					0.028						L 0001		0.009			
5	11	91					0.066						0.002		0.005			
8	1	92					0.043						L 0001		0.005			
5	2	92					0.06						0.002		0.009			

D	M	Y	Sr TOTAL	Mo TOTAL	Ag TOTAL	Cd TOTAL	Cd EXT	Sb TOTAL	Ba TOTAL	Hg TOTAL	Hg UGL	Pb TOTAL	Pb EXT	N PARTIC	N TKN	N TOTAL	NH3 TOTAL	DISS NO3	N DISS NO2	N DISS NO2
			380~L	420~L	470~L	480~L	493~L	510~L	560~L	800~L	800~L	820~L	823~L	079~L	070~L	075~L	071~L	071~L	072~L	072~L
3	3	85					0.001					L 002			1.28	0.28		0.175		
3	3	86														0.3		0.17		
3	3	89							0.13			L 0020			0.6	0.29		0.178		
4	10	89	0.21	0.008	L 0010	L 0010										0.03		0.026		
4	10	89														0.03				
4	10	89														0.03				
4	10	89	0.26	0.005	L 0010	L 0010		L 0002	0.14	L 0500		0.004			0.64	0.16	0.168	0.069		0.009
1	3	90														0.16				
1	3	90														0.16				
11	10	90													0.4	L 0.01		0.112		
8	1	91								L 0.05					0.64	0.31		0.111		
8	1	91								L 0.05					0.68	0.2		0.228		
8	1	91								L 0.05					0.74	0.2		0.242		
8	1	91								L 0.05					0.72	0.2		0.244		
8	1	91								L 0.05					1.04	0.28		0.185		
6	2	91													0.47	0.12		0.134		0.007
28	2	91		0.002		0.005			0.122	L 0001			L 002	0.18		0.12				
28	2	91														0.12				
28	2	91								L 0.05					0.72	0.05		0.086		
19	3	91								L 0.05					0.66	0.04		0.087		
19	3	91								L 0.05					0.66	0.04		0.085		
19	3	91								L 0.05					0.62	0.02		0.047		
22	8	91								L 0.05					0.56	L 0.01		L 0.003		
5	11	91								L 0.05					0.72	0.04		0.048		
8	1	92								L 0.05					0.64	0.3		0.121		
5	2	92								L 0.05					0.76	0.2		0.097		

D M Y	P TOTAL 150**L	P TOTAL 154**L	P DISS 151**L	P DISS 151**L	P CARBON TOTAL 060**L	P CARBON TOTAL 069**L	P CARBON DISS 061**L	BOD 5 DAY 082**L	BOD DISS 5 DAY 082**L	COD TOTAL 083**L	OIL AND GREASE 065**L	PHENOL 065**L	TANNIN AND LIGNIN 065**L	SURFAC ANION MBAS 107**L
3 3 89	0.21				22.9	22.4		5.7		47		0.044	9	
3 3 89								5.7						
3 3 89								6.3						
4 10 89	0.078		0.019		12.5	11.8		0.6	0.2	23	0.4	0.005	1.9	0.12
4 10 89								0.7	0.4					
4 10 89								0.5						
1 3 90		0.1218		0.0797	11.8	11.4		2.9	2.7	39.2		0.03	5	
1 3 90								2.8						
1 3 90								2.9						
11 10 90	0.052	0.0588	0.026	0.0247	4.5	4.1						0.001	0.8	
8 1 91	0.088	0.073	0.073		11.9	11.5		0.7		40		0.002	3.4	
8 1 91	0.139	0.1359	0.076	0.0548	14.9	14.4		3.3		60.7		0.016	4.9	
8 1 91	0.134	0.1497	0.072	0.0546	15.3	15		3.4		45		0.014	6.1	
8 1 91	0.134	0.1428	0.06	0.0557	15.6	15.5		2.8		40		0.014	4.9	
6 2 91	0.141	0.1363	0.077	0.0675	17.6	16		4.8		69		0.02	5.1	
28 2 91		0.076	0.028			12.2		1.7		37		0.018	2.21	
28 2 91								1.5						
19 3 91	0.067	0.0589	0.007	0.0085	13.3	13.3		1.6		50		0.013	4.6	
19 3 91	0.066	0.0663	0.005	0.0071	13.3	12.7		2.8		40		0.013	4.6	
19 3 91	0.069	0.056	0.003	0.0076	13.4	11.4		2.9		50		0.014	4.6	
2 5 91	0.179	0.011	0.011		11.5	10.5						0.003	1.1	
22 8 91	0.037	0.0251	0.006	0.0093	5.2	5.1						0.001	1	
5 11 91	0.05	0.0597	0.019	0.0147	8.6	8						0.004	2.7	
8 1 92	0.086		0.078		11.2	11		0.8		40		0.002	3.2	
5 2 92	0.092		0.057		15	14.5		1.9		60		0.014	3.8	

COLI CHLORO CHLOROa

TOTAL NO/DL 360**L

D M Y	COLI NO/DL 360**L	CHLORO MG/M3 067**L	CHLOROa EPLTH MG/M2 067**L
3 3 89	530	10	
4 10 89	100	16	3.826
1 3 90	450	16	0.3
26 2 91			L1.0
26 2 91			L1.0
26 2 91			L1.0
26 2 91			L1.0
26 2 91			L1.0

Results as mg/L unless noted. ** - more than one analytical code may be included. k - kilometre; U - upstream of; D - downstream of; L - left; C - centre; R - right; L/R - left/right comp.; F - field measurement; L - lab analysis

WATER QUALITY DATA - SMOKY RIVER AT WATNIO-Q0AL07GJ0001 - 1987-91

D	M	Y	TEMP DEG.C 020°F	PH	COND US/CM 020°F	OXYGEN METER 081°F	OXYGEN WINKLR 081°F	NON FILT RES	TURB NTU 020°F	COLOUR APPAR REL UN 020°F	COLOUR TRUE REL UN 020°F	ODOUR THRESH NO	RES TOTAL 104°F	NON FILT RES 104°F	FILT RES 104°F	TDS CALCD 002°F	TDS (DIFF) 002°F	COND US/CM 020°F	ALK TOTAL CaCO3 101°F
19	2	87	0.5				10.8	6	2.8		30		306	6	300	274.07		477	180
18	3	87	0.5				10	10	4.6	100			320	10	310			510	188
22	4	87	4.9	8.3	263	11.7		110	142	120			260	110	150			266	110
27	5	87	17.9	7.9	265	8.6		125	92	100			376	125	144			268	115
23	6	87	14.5	8.1	217	9.1		256	152	100				256	115			245	88.5
20	7	87	17.2	7.9	267	9.3		54	50	60				54	150			267	112
17	8	87	15			11.8		160	108	70				160	180			322	125
28	9	87	12.2	8.3	34.5	9.8		12.4	12	40				12.4	200			346	157
21	10	87	3.2				12.4	4.8	6.2	45				4.8	200			418	186
26	11	87	0.2	8.5	458		13.3	4.8	8.6	40	30	1		4.8	255			460	174
17	12	87	0	8.4			14.7	5.6	4	50				5.6	350			598	224
12	1	88	-1	7.9			11.2	3.6	4	50				3.6	360			606	213
9	2	88	0	8.2		9.6		3.6	3.5		50	1		3.6	325			561	192
24	3	88	0	8			12.6	20.4	22		50			20.4	260			471	151
20	4	88	6.5	8.194			11.3	328	282		50			328	170			323	135
12	5	88	11.4	8.3			8.5	352	176		30			352	175			310	125
21	6	88	15.5	7.9			8.9	464	106		40			464	110			196	86.8
21	7	88	20.7	7.8	259	8.1		72	56		50			72	140			254	100
22	8	88	16.5	7.9	279	9.2		20	20		10			20	150			276	109
27	9	88						3.2	5		30			3.2	200			365	135
27	9	88	8.2	8.1	360	10.7													
3	11	88	0	8.1			13.5	6	7.6		40			6	210			389	139
30	11	88	0.2	8.7	529		12.85	154	5.4		50			154	320			649	183
15	12	88	0.2	8.5	527	12.6		2	4.8		60			2	320			546	190
25	1	89	1	7.3	550	9.4		4	3.6		60			4	350			582	183
26	2	89	-0.1	7.7	578	8.9		3.2	3.6		60			3.2	355			567	188
30	3	89	0.5	8.5	580	8.4		0.88	3.2		70			0.88	350			569	181
2	5	89	9.5	8.2	288	11		365	272		80			365	160			283	116
25	5	89	8.9	7.9	201	10.7		1637	925		114			1637	1908		271	203	87
22	6	89	14.8	8.6	225		9.4	100	72		39			100	308		208	229	98
26	7	89	18.1	8.2	265	8.4		113	88		20			113	290		177	245	112
28	8	89	12.5	8.3	332	10.2		332	172		70			332	136			247	113
5	10	89	7.2	8.2	334	11.2		43	50		40			43	166			338	147
31	10	89	1.3	8.6			10.2	4	7.8		30			4	189			350	147
29	11	89	0	8.7	367	13.5		22.8	20		40			22.8	202			382	155
14	12	89	0.4	8.5	401	13.5		17	9.6		40			17	245			429	179
24	1	90	0.1	8.5	455	11.4		2	4.8		30			2	260			458	182
22	2	90	-0.1	7.7	482	9.8		L4000	0.68		40			L4000	300			564	192
21	3	90						10	50		70			10	200			354	132
21	3	90	-0.3	7.7	348	11													
24	4	90	7.5	6.8	278		10.56	432	310		40			432	163			290	123
23	5	90	12	8.1	249		9.8	695	268		40			695	139			248	109
19	6	90	14.4	7.9	216	9.3		1390	568		80			1390	130			223	98
26	7	90	21.3	7.9	289	8.3	8.73	82	45		20			82	160			293	120
15	8	90	19.2	8.3	289	8.5	8.92	49	46		10			49	154			279	108
18	9	90	13.5	8.1	316	10.2	9.94	14.8	10	L5				14.8	180			325	127
10	10	90	5.5	8.3	380	12	11.69	12.5	13		10	L1		12.5	212			354	148
20	12	90						6.5	5.4		30			6.5	264			468	184
29	1	91						8.4	11.7		40	L1		8.4	271			537	184
19	2	91						8.7	9.6		30	L1		8.7	267			496	175
20	3	91						6.4	18.5		40	L1		6.4	294			544	175
1	5	91						650	380		70			650	112			194	79.9
29	5	91						205	127		30	L1		205	137			255	110
25	6	91						187	140		30			187	110			212	91
1	8	91						43	36		L5			43	143			258	109
21	8	91						120	28		L5			120	140			245	103
2	10	91						6.4	12.1		L5			6.4	192			350	135
28	10	91						16	35		L5			16	207			403	164
25	11	91						4.8	10		L5			4.8	230			463	179
17	12	91						4.8	0.7		L5			4.8	259				

D	M	Y	HARDNESS TOTAL CaCO3	PH	Na DISS	K DISS	Ca DISS	Mg DISS	HCO3 LAB CALCD	CO3 LAB CALCD	Cl DISS	SO4 DISS	F DISS	SILICA REACT SiO2	S- DISS	Be DISS	B DISS	B DISS	Al TOTAL
			100°L	103°L	111°L	161°L	201°L	121°L	062°L	083°L	172°L	183°L	091°L	141°L	161°L	041°L	051°L	051°L	130°L
19	2	87	231	7.9	14	1	66	16	219.42	L5000	10	59	0.13	4.8			0.013		
18	3	87	236.4	8.63	20.6	1.03	66	17.4	219	L5000	16.1	73.5	0.09	4.08			0.06		
22	4	87	128.75	8.14	9.3	1.8	35.2	9.9	134.09	L5000	4.5	23	0.12	4.26			0.01		
27	5	87	131.57	8.12	5.6	0.9	36	10.1	140.18	L5000	2.5	18.7	0.07	3.6					
23	6	87	97.739	7.76	3.6	0.66	27.9	6.8	107.88	L5000	2.2	16	0.07	2.56			0.01		
20	7	87	132.57	8.45	5.3	0.7	36.4	10.1	132.63	L5000	3.4	25.2	0.1	2.45			0.08		
17	8	87	156.73	8.03	7.9	1.08	45.9	10.2	152.36	L5000	5.5	32.5	0.08	4.76			0.06		
28	9	87	169.92	8.3	9.4	0.83	48.2	11.4	174.07	L5000	8.7	48	0.09	3.36			0.01		
26	11	87	213.36	7.69	14.4	0.99	56.8	13.8	226.73	L5000	8.2	57.6	0.25	4.1			0.01		
17	12	87	278.62	8.25	13.3	0.87	61.8	14.3	212.11	L5000	16.9	73.8	0.14	4.85			0.01		
12	1	88	271.8	8.05	26.4	1.26	78	18.7	273.06	L5000	23	78.4	0.11	5.3			0.01		
9	2	88	244.15	7.99	26.7	1.1	70	16.8	234.05	L5000	28.6	58	0.18	4.5			0.01		
24	3	88	169	7.87	23	2.26	54.5	12.9	184	L5000	17.7	53.8	0.12	3.85			0.01		
20	4	88	143.75	8.3	12.4	1.55	41.2	9.9	164.57	L5000	5.1	28.5	0.09	4.65			0.03		
21	5	88	157.26	8.15	7	0.9	44.3	11.3	152.38	L5000	2.5	31.6	0.1	3.25			0.01		
21	6	88	95.416	7.33	4	0.75	27.3	6.6	105.81	L5000	1.2	16	0.16	3.62			0.01		
22	8	88	127	6.68	6	0.85	36.4	8.8	121	L5000	6.5	19.9	0.15	4.62			0.02		
22	8	88	133.21	7.65	7	0.65	36.3	9.1	132.87	L5000	4.1	28.8	0.096	2.3			0.01		
27	9	88	156.04	8.06	12.8	0.89	44.8	10.7	164.57	L5000	9.1	39.1	0.12	1.62			0.01		
3	11	88	170.75	7.88	13.5	0.5	49.2	11.6	169.44	L5000	10.8	44	0.12	3.15			0.02		
30	11	88	228.3	7.79	22.2	1.12	65.8	15.5	235.27	L5000	18.8	79	0.14	4.66			0.01		
15	12	88	262.34	7.81	20.3	0.96	75.3	18	231.61	L5000	17.4	72	0.11	5			0.01		
25	1	89	252.47	8.19	25	1.18	73	17	223.08	L5000	25.8	94	0.16	5.1			0.02		
28	2	89	252.43	7.99	30	1.35	71.5	17.9	228.17	L5000	29.8	90	0.16	5.5			0.01		
30	3	89	245.75	8.14	30.8	1.3	68.5	18.1	220.64	L5000	31.3	92	0.13	5.36			0.01		
2	5	89	129.96	8.23	8	0.96	37	9.1	141.4	L5000	8.1	31.3	0.1	2.9			0.02		
25	5	89	89	7.81	5	1.4	27	5.3	106	L5000	1.2	18	0.07	4.2			0.01		
22	6	89	108	8.09	3	0.5	31	7.4	119	L5000	3	20	0.08	3.1			0.01		
26	8	89	128	8.4	5	0.6	38	8	130	L5000	3	20	0.13	3.9			0.02		
5	10	89	125.4	7.84	5	1.06	36	8.6	137.75	L5000	5.7	13.2	0.08	5.15			0.01		
31	10	89	159.5	8.15	8.7	1.25	44.7	11.6	179.19	L5000	5.7	24.4	0.11	4.24			0.01		
29	11	89	168.6	8.12	6.2	0.83	46.6	12.9	179.2	L5000	1.1	29.4	0.11	3.55			0.03		
14	12	89	170.73	8.08	11.6	1.05	48.7	11.9	188.95	L5000	4.9	29.4	0.11	4.95			0.01		
24	1	90	186.64	8.08	15.3	1.1	52.1	13.7	218.2	L5000	9.5	44	0.12	5.28			0.05		
24	2	90	207.09	7.62	15.8	1.15	58.8	14.6	221.86	L5000	9.2	50.4	0.15	5.55			0.01		
22	2	90	236.66	7.87	20.7	1.12	67.5	16.5	234.05	L5000	13.6	66	0.13	5.52			0.01		
21	3	90	132.89	7.32	15.5	5.5	36.2	10.3	160.91	L5000	12.5	40.1	0.11	4.85			0.02		
24	4	90	127.79	6.83	9.3	1.7	36.3	9	149.94	L5000	2.5	29	0.1	4.6			0.03		
23	5	90	113.16	7.53	5	1.21	31.6	8.3	132.87	L5000	5.4	21.1	0.1	3.68			0.02		
19	6	90	101.72	7.58	4.9	1.41	29	7.1	119.46	L5000	5.2	20.2	0.1	4.3			0.04		
26	7	90	132.7	7.67	6.3	0.95	37.8	9.4	146.3	L0.5	2.5	30.5	0.1	3.28			0.01		
15	8	90	128.5	7.47	6.1	0.86	36.6	9	131.7	L0.5	2.3	33.6	0.1	2.48			0.03		
18	9	90	155.6	7.99	6.3	0.81	44.3	10.9	154.8	L0.5	2.3	39.5	0.13	2.15			0.01		
10	10	90	171	7.81	8.7	0.9	47.8	12.5	180.4	L0.5	2.3	49.8	0.13	2.75			0.01		
20	12	90	203.8	8.2	16.9	1.12	57.3	14.7	224.3	L0.5	9.7	52.5	0.13	4.52			0.01		
29	1	91	223.3	7.74	19.9	1.2	62.5	16.3	224.3	L0.5	9.9	49	0.12	4.75			0.01		
29	2	91	211.2	8.1	17.9	1.12	59.3	15.3	224.3	L0.5	8.4	58.5	0.12	4.45			0.005		
19	3	91	224.1	7.9	20.4	1.35	62	16.8	213.3	L0.5	10	77	0.13	4.75			0.007		
1	5	91	99.8	7.83	4.5	1.22	27.8	7.3	97.4	L0.5	6.4	14.9	0.07	4.6			0.01		
29	5	91	123.8	8.17	5.1	0.75	35.2	8.7	134.1	L0.5	1.1	20	0.08	3.66			0.01		
25	6	91	101	8.01	3.2	0.55	27.9	7.8	110.9	L0.5	0.9	14.8	0.17	3.3			0.04		
1	8	91	128	8.04	4.3	0.59	37.2	8.5	132.9	L0.5	1.7	23.6	0.08	4.06			0.01		
21	8	91	130	8.02	5.2	0.49	37	9.1	125.6	L0.5	4	21.9	0.08	3.4			0.02		
2	10	91	161.3	8.08	7.8	0.68	45.6	11.5	164.6	L0.5	4.1	40.5	0.09	2.8			0.03		
29	10	91	174.6	7.82	9.19	0.88	48.1	12.6	188.9	L0.5	2.3	38.4	0.1	4.32			0.01		
25	11	91	190.6	8.07	11.4	0.75	54	13.5	199.8	L0.5	3.3	46.7	0.1	4.32			0.01		
17	12	91	206.3	7.85	14.6	0.96	57	15.5	218.2	L0.5	6.2	55.6	0.13	4.84			0.01		

[illegible]

D	M	Y	Zn TOTAL	Zn EXT	As TOTAL	As DISS	Se TOTAL	Se DISS	Mo TOTAL	Ag EXT	Cd TOTAL	Cd EXT	Ba TOTAL	Ba EXT	Hg TOTAL	Hg UGL	Hg DISS	Pb EXT
			300**L	303**L	330**L	331**L	340**L	341**L	420**L	473**L	480**L	483**L	550**L	563**L	800**L	800**L	801**L	823**L
19	2	87			0.0003		L.0002	L.0002		L.0010		L.0010	0.11		L.0001			0.008
18	3	87		0.025	0.0006	0.0005	L.0002	L.0002							0.0002			
22	4	87				0.0007	L.0002	L.0002							L.0001			
27	5	87				0.0006	L.0002	L.0002		L.0010		L.0010	0.08		L.0001			0.004
23	6	87		0.015		0.0004	L.0002	L.0002								L.0.05		
20	7	87				0.0003	L.0002	L.0002		L.0010		L.0010	0.12		0.0002			
17	8	87		0.006		0.0004	L.0002	L.0002								L.0.05		L.002
28	9	87				0.0006	L.0002	L.0002								L.0.05		
21	10	87		L.0010		0.0005	L.0002	L.0002		L.0010		L.0010	0.11			L.0.05		L.002
26	11	87				0.0005	L.0002	L.0002								L.0.05		
17	12	87				0.0004	L.0002	L.0002								L.0.05		
12	1	88		0.004	L.0002		L.0002			L.0010		L.0010	0.15			L.0.05		0.002
9	2	88				0.0002	L.0002									L.0.05		
24	3	88				L.0004	L.0002									L.0.05		
20	4	88				0.0004	L.0002									L.0.05		
12	5	88		0.031		0.0003	L.0002			L.0010		L.0010		0.04		L.0.05		0.004
21	6	88				0.0006	L.0002									L.0.05		
21	7	88				0.0005	L.0002									L.0.05		
22	8	88		0.003		0.0002	L.0002			L.0010		L.0010		0.07		L.0.05		L.002
27	9	88		0.008		0.0002	L.0002			L.0010		L.0010		0.08		L.0.05		L.002
3	11	88		0.003		0.0002	L.0002			L.0010		L.0010		0.09		L.0.05		L.002
30	11	88				0.0005	L.0002									L.0.05		0.002
15	12	88				0.0002	L.0002									L.0.05		
25	1	89		0.009		0.0003	L.0002			L.0010		L.0010	0.12			L.0.05	L.0.050	0.002
28	2	89				0.0005	L.0002									L.0.05		
30	3	89				0.0002	L.0002									L.0.05		
2	5	89				0.0003	L.0002									L.0.05		
25	5	89				0.0014	L.0001		0.02		0.004		0.53		L.0001			
22	6	89	0.138			L.0001	L.0001								L.0001			
26	7	89				0.0002	L.0001								L.0001			
28	8	89		0.022		0.0007	L.0002			L.0010		L.0010		0.18		L.0.050		0.008
5	10	89				0.0003	L.0002									L.0.050		
31	10	89		0.001		0.0002	L.0002			L.0010		L.0010		0.09		L.0.050		0.002
29	11	89				0.0003	L.0002									L.0.050		
14	12	89			0.0002	0.0002	L.0002									L.0.050		
24	1	90		0.003		0.0004	L.0002			L.0010		L.0010		0.11		L.0.050		L.002
22	2	90		0.004		0.0003	L.0002			L.0010		L.0010		0.13		L.0.050		0.004
21	3	90				0.0006	L.0002									L.0.050		
24	4	90				0.0008	L.0002									L.0.050		
23	5	90		0.026		0.0006	L.0003			L.0010		L.0010		0.19		L.0.050		0.005
19	6	90		0.057		0.0005	L.0004			L.0010		L.0010		0.36		L.0.050		
26	7	90				0.0004	L.0002									L.0.05		
15	8	90		0.01		0.0004	L.0003			L.0.001		L.0.001		0.07		L.0.05		
18	9	90				0.0003	L.0002									L.0.05		
10	10	90		L.0.001		0.0012	L.0002			L.0.001		L.0.001		0.08		L.0.05		
20	12	90				0.0003	L.0002									L.0.05		
29	1	91		0.003		0.0003	L.0002			L.0.001		L.0.001		0.13		L.0.05		0.011
19	2	91				0.0003	L.0002									L.0.05		
20	3	91				0.0003	L.0002									L.0.05		
1	5	91		0.008		0.0006	L.0002			L.0.001		L.0.001		0.1		L.0.05		L.002
29	5	91				L.0002	L.0002									L.0.05		
25	6	91				0.0006	L.0002									L.0.05		
1	8	91		0.009		0.0003	L.0002			L.0.001		L.0.001		0.1		L.0.05		L.002
21	8	91				0.0002	L.0002									L.0.05		
2	10	91		0.006		0.0003	L.0002			L.0.001		L.0.001		0.1		L.0.05		L.002
29	10	91				0.0003	L.0002									L.0.05		
25	11	91				0.0003	L.0002									L.0.05		L.002
27	12	91				0.0004	L.0002									L.0.05		

D	M	Y	CARBON TOTAL 0607	CARBON TOTAL ORG 0607	CARBON TOTAL INORG 0607	CARBON PARTIC TOTAL 0607	CARBON PARTIC ORG 0607	CARBON PARTIC INORG 0607	CARBON DISS ORG 0611	CARBON DISS INORG 0611	BOD 5 DAY 0627	COD TOTAL 0637	PHENOL 0657	COLI TOTAL 3607	COLI FECAL 3607	FECAL STREP NO/DL 3617	CHLORO PHYLLS MG/M3 0677
18	2	87				0.67			4.2	46.6			0.005	16	L4.0	8	0.1
18	3	87					0.4		6.8	42			0.004	16	L4.0	L4.0	0.2
22	4	87	35.5	11					10.2	24.5	2.3		0.002	170	L10.0	L10.0	1.7
27	5	87		7.8					7.6	25.5			0.001	250		20	1
23	6	87		2.4			0.1		2.3				0.001	430		24	0.7
20	7	87		2.8			L2000		2.8				0.001	100		16	0.8
17	8	87		12.8			0.6		12.2				0.004			60	0.6
26	9	87	37.9	5.4			0.2		5.2				0.002	100			0.9
21	10	87	42.8	5.8					5.7	37			0.003	14	L1.0	12	0.7
26	11	87	46.8	4.8					4.6	42			0.001	L4.0		L4.0	0.3
17	12	87	60.1	6.6					6.4	53.5			0.004	4	L4	4	0.3
12	1	88	57	8					7.8	48			L0010	L4.0		L4.0	0.3
12	1	88	50.2	7.2					7	43			0.004	12	L4.0	L4.0	0.2
24	3	88	47.9	6.4					8.2	39.5			0.001	20	L4.0	L4.0	2
20	4	88		6.2					6				0.002	20	8	12	6.2
12	5	88		6.2					5.5				0.002	12	8	4	4.9
21	6	88		6					5.6				0.001	100	32	54	0.6
21	7	88		9.1					8.5				0.003	60	4	4	1.4
22	8	88		3.2					2.6				L0010	290	8		0.7
27	9	88		5.3					5				L0010	72	L4	136	0.7
12	10	88		4.2					3.9				0.002	40	L4	32	0.5
3	11	88		5.9					5.3				0.006	16	L4	4	0.3
30	11	88		5					4.6				0.007	16	4	L4	0.3
15	12	88		6.4					6.2				0.012	160	L4.0	176	0.1
26	2	89		7.3					7.1				0.014	20	L4.0	4	0.1
30	3	89		8.6					8.4				0.002	150	L4	28	0.1
2	5	89		8.4					7.8				0.001	3000	40	200	3.6
25	5	89							21.6				0.014	16	4	60	1.5
22	6	89							5.1	25.5			0.004	24	16	16	0.6
26	7	89							8.7				0.006				1.6
26	8	89							12.7				0.001	140	36	310	1
5	10	89		9.7					9.2				0.002	28	L4	332	1.6
31	10	89		6.4					6.2				L0001	204	L4	8	0.9
29	11	89		8.9					8.7				0.002	24	L4	L4	0.5
14	12	89		8.3					8.1				L0010	12	L4	L4	0.6
24	1	90		7					6.6				L0010	20	L4	L4	0.1
22	2	90		6.7					6.6				L0010	6600	20	196	0.1
21	3	90		10.5					10.5				0.011	710	4	28	0.8
24	4	90		9.1					7.9				L0010	78	4	L4	4.5
23	5	90		8.7					8.1				L0010	12	4	L4	2.1
19	6	90		12.8					10.8				L0001	30	L10	4	1
26	7	90		4.3					4				L0001	45	12	L4	2.3
15	8	90		4					2.4				L0001	30		L10	3
18	9	90		2.3					2.3				L0001	45	12	4	1.2
10	10	90		3.1					2.9				L0001	30	L4	220	0.6
20	12	90		7.4					5.7				0.002				
29	1	91		7.2					7		0.7	24	0.003				
19	2	91		2.8					1.8				0.002				
20	3	91		6.2					5.7		1	15	L0001				
1	5	91		18.5					15.5				0.003				
29	5	91		6.6					5.8				L0001				
25	6	91		5.2					4.5				L0001				
1	8	91		2.7					2.5				L0001				
21	8	91		6.4					5.2				L0001				
2	10	91		3.9					3.3				L0001				
28	10	91		5					4.7				L0001				
25	11	91		5.2					5.2				L0001				
17	12	91		6.1					6				L0001				

Results as mg/L unless noted. ** - more than one analytical code may be included; k - kilometer; U - upstream of; D - downstream of; L - left; C - center;
R - right; LR - left/right comp.; F - field measurement; L - lab analysis

APPENDIX 3. AOX, CHLOROPHENOLIC, AND RESIN-FATTY ACID DATA,
WAPITI-SMOKY RIVER SURVEYS, 1991

APPENDIX 3. WAPITI-SMOKY-PEACE RIVERS SURVEY. FEBRUARY - MARCH 1991. AOX, CHLOROPHENOLICS, AND RESIN ACID DATA.

SITE	STATION CODE (00AL07-)	Date	AOX (mg/L)	4-CP	2,4-DCP	2,4,6-TCP	2,3,4,6-TeCP	PCP	4-CG	4,5-DCG	4,6-DCG	3,4,5-TCG
WR @ HWY 40	GE2015	27-Feb	0.009	nd	nd	nd	nd	nd	nd	nd	nd	nd
WR d/s P-G Haul Br.	GE2300	27-Feb	0.008	nd	nd	nd	nd	nd	nd	nd	nd	nd
WR @ Rail Br. - LR Composite	GE3060	27-Feb	0.956	nd	0.25	0.45	nd	nd	0.65	0.77	0.08	0.38
WR 10 km d/s P&G Final Effl.	GE3500	28-Feb	1.010	nd	0.24	0.44	nd	nd	0.06	0.75	0.05	0.36
WR u/s Bear R.	GE4050	28-Feb	0.906	nd	0.22	0.42	nd	nd	0.05	0.61	0.09	0.37
WR 5 km u/s of mouth	GE5000	28-Feb	0.859	nd	0.06	0.13	nd	nd	0.03	0.38	0.08	0.07
WR 0.5 km u/s of mouth	GJ1000	05-Mar	0.365	nd	0.04	0.09	nd	nd	0.04	0.40	nd	0.07
SR u/s Puskwaskau	GJ2030	05-Mar	0.392	nd	0.03	0.09	nd	nd	nd	0.36	nd	0.09
SR @ km 105	GJ2050	06-Mar	0.452	nd	0.03	0.09	nd	nd	nd	0.32	nd	0.06
SR @ Walino	GJ2060	06-Mar	0.245	nd	0.03	0.09	nd	nd	nd	nd	nd	nd
SR near mouth	GJ5000	11-Mar	0.014	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-L	FD4500	11-Mar	0.009	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-C	FD4575	11-Mar	0.010	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-R	FD4550	11-Mar	0.010	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-L	HA2500	12-Mar	nd	nd	nd	nd	nd	nd	nd	0.02	nd	nd
PR d/s DAISH-LC	HA2510	12-Mar	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-C	HA2520	12-Mar	0.024	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R.-L	HA2800	12-Mar	0.018	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R.-C	HA2820	12-Mar	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R.-R	HA2840	12-Mar	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-L	HC1000	13-Mar	0.013	nd	nd	nd	nd	nd	nd	0.02	nd	nd
PR east of Manning-C	HC1020	13-Mar	0.021	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-R	HC1040	13-Mar	0.019	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR @ Carleton	HD1030	18-Mar	0.021	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR near Ft. Vermilion	HF0010	18-Mar	0.025	nd	nd	nd	nd	nd	nd	0.01	nd	nd
PR u/s WBNP	KA2000	20-Mar	0.019	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR @ Peace Pt	KC1000	20-Mar	0.026	nd	nd	nd	nd	nd	nd	nd	nd	nd
GRAND PRAIRIE STP EFFLUENT	21AL07GE1000	27-Feb	0.064	nd	nd	nd	nd	nd	nd	nd	nd	nd
P&G SS/CW	20AL07GE8003	27-Feb	0.008	nd	nd	nd	nd	nd	nd	nd	0.03	nd
P&G FINAL EFFL. - A	20AL07GE8001	26-Feb	22.8	0.14	6.30	11.92	0.60	nd	0.96	7.54	2.42	9.53
P&G FINAL EFFL. - B	20AL07GE8001	26-Feb	25.1	0.18	6.13	11.83	0.49	nd	0.58	7.97	2.49	9.54
PEACE R. SEWAGE EFFLUENT	21AL07HA1000	11-Mar	0.122	1.01	2.16	1.38	0.09	0.40	0.47	nd	0.38	nd
DAISH FINAL EFFL. - A	20AL07HA2001	11-Mar	6.03	nd	nd	0.14	nd	nd	0.17	2.32	0.02	0.37
DAISH FINAL EFFL. - B	20AL07HA2001	11-Mar	6.06	nd	nd	0.23	nd	nd	0.17	2.26	nd	0.45
PEACE RIVER OILS #1 WELL	HA2400	12-Mar	1.77	nd	nd	nd	nd	nd	nd	nd	nd	nd
BEAR R. @ MOUTH	GE4500	28-Feb	0.020	nd	nd	nd	nd	nd	nd	nd	nd	nd
SMOKY R. U/S OF WAPITI R.	GE1015	01-Mar	0.001	nd	nd	nd	nd	nd	nd	nd	nd	nd
SIMONETTE R. NEAR MOUTH	GF3500	01-Mar	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PUSKASKAU R. MOUTH	GJ2032	05-Mar	0.041	nd	nd	nd	nd	nd	nd	nd	nd	nd
LITTLE SMOKY R. MOUTH	GH1500	05-Mar	0.009	nd	nd	nd	nd	nd	nd	nd	nd	nd
WABASCA R. MOUTH	JD1000	18-Mar	0.010	nd	nd	nd	nd	nd	nd	nd	nd	nd

10 April 92

Blanks indicate not analyzed. As µg/L unless noted. All values corrected for surrogate recovery.
WR - Wapiti River; SR - Smoky River; PR - Peace River

SITE	3,4,6-TCG	4,5,6-TCG	TeCG	4-CC	3,4-DCC	3,5-DCC	4,5-DCC	3,4,5-TCC	3,4,6-TCC	TeCC	4,5-DCV	3,4,5-TCV	TeCV	TCS
WR @ HWY 40	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
WR d/s P+G Haul Br.	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
WR @ Rail Br. - LR Composite	0.15	0.34	0.23	0.05	0.03	0.41	1.66	3.56	0.09	0.08	0.11	0.06	nd	nd
WR 10 km d/s P&G Final Eff.	0.13	0.22	0.22	0.05	0.03	0.39	1.51	3.56	0.09	0.08	0.12	nd	nd	nd
WR u/s Bear R.	0.14	0.35	0.21	nd	nd	0.29	1.06	2.62	0.05	nd	0.11	0.08	nd	nd
WR 6 km u/s of mouth	0.03	0.04	0.06	nd	nd	0.09	0.29	0.62	nd	nd	nd	nd	nd	nd
WR 0.5 km u/s mouth	nd	0.07	0.06	0.03	nd	0.07	0.25	0.38	nd	nd	nd	nd	nd	nd
SR u/s Pushkaskau	nd	0.08	0.05	nd	nd	0.05	0.23	0.31	nd	nd	nd	nd	nd	nd
SR @ km 105	nd	0.02	nd	nd	nd	0.06	0.20	0.29	nd	nd	nd	nd	nd	nd
SR @ Watino	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SR near mouth	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-R	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-LC	nd	nd	nd	nd	nd	nd	nd	0.01	nd	nd	nd	nd	nd	nd
PR d/s DAISH-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R-R	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-R	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR @ Carajou	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR near Ft. Vermilion	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s WBNP	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR @ Peace Pt	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
GRAND PRAIRIE STP EFFLUENT	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
P&G SS/CW	4.49	9.93	7.78	0.52	0.69	9.31	40.65	73.38	2.77	3.99	2.40	0.83	0.12	0.04
P&G FINAL EFFL. - A	4.25	9.88	6.51	0.57	0.68	9.10	41.55	71.58	2.10	2.22	1.74	0.71	nd	0.06
PEACE R. SEWAGE EFFLUENT	nd	nd	nd	0.24	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
DAISH FINAL EFFL. - A	nd	0.08	0.07	nd	nd	nd	0.51	0.18	nd	nd	nd	nd	nd	nd
DAISH FINAL EFFL. - B	nd	0.12	nd	0.12	nd	nd	0.51	0.10	nd	nd	nd	nd	nd	nd
PEACE RIVER OILS #1 WELL	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
BEAR R. @ MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SMOKY R. U/S OF WAPITI R.	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SIMONETTE R. NEAR MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PUSKASKAU R. MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
LITTLE SMOKY R. MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
WABASCA R. MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd

Blanks indicate not analyzed


SITE	Pimonic	Sander	Isopimonic	Palustric	Levopim	Dahydro	Abietic	Necobietic	14-CDHA	12-CDHA 12,14-DCDH
WR @ HWY 40	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
WR d/s P-G Haul Br.	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
WR @ Rail Br. - LR Composite	1.2	nd	1.3	0.4	nd	1.2	1.2	0.4	0.6	0.2
WR 10 km d/s P&G Final Effl.										
WR u/s Bear R.	1.0	nd	1.2	0.2	nd	1.2	1.0	nd	0.5	0.1
WR 6 km u/s of mouth										
WR 0.5 km u/s mouth	1.1	nd	1.3	0.4	nd	2.1	1.3	0.3	0.5	0.2
SR u/s Puskwaskau	0.4	nd	0.5	nd	nd	0.5	0.5	nd	0.2	nd
SR @ km 105	0.3	nd	0.4	nd	nd	0.3	0.3	nd	0.2	nd
SR @ Watino	0.3	nd	0.4	nd	nd	0.3	0.3	nd	nd	0.4
SR near mouth	0.3	nd	0.4	nd	nd	0.3	0.3	nd	nd	0.1
PR u/s SR-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.3
PR u/s SR-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s SR-R	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-LC	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR d/s DAISH-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s Whitemud R-R	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-L	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-C	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR east of Manning-R	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR @ Carleton	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR near Ft. Vermilion	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR u/s WBNP	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PR @ Peace Pt										
GRAND PRAIRIE STP EFFLUENT										
P&G SS/CW	225.2	nd	nd	nd	nd	nd	nd	nd	nd	nd
P&G FINAL EFFL - A	31.9	93.6	456.9	17.9	42.7	1709.0	362.4	38.2	nd	nd
P&G FINAL EFFL - B	24.2	nd	32.8	9.9	10.4	42.9	32.5	nd	nd	nd
PEACE R. SEWAGE EFFLUENT	nd	nd	25.9	14.6	nd	22.6	25.3	14.3	18.3	5.9
DAISH FINAL EFFL - A	nd	nd	nd	nd	nd	5.4	nd	nd	11.7	3.6
DAISH FINAL EFFL - B	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
PEACE RIVER OILS #1 WELL										
BEAR R. @ MOUTH	nd	nd	nd	nd	nd	0.2	nd	nd	nd	nd
SMOKY R. U/S OF WAPITI R.	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
SIMONETTE R. NEAR MOUTH										
PUSKASKAU R. MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
LITTLE SMOKY R. MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
WABASCA R. MOUTH	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd

Blanks indicate not analyzed

APPENDIX 4. GRAPHS OF DISSOLVED OXYGEN FROM CONTINUOUS
RECORDING METERS AT FOUR SITES
IN THE WAPITI-SMOKY RIVER
SYSTEM, 1990 AND 1991


WAPITI-SMOKY RIVER

Winter Dissolved Oxygen




WAPITI RIVER NEAR ELMWORTH

DISSOLVED OXYGEN WINTER 1991 (FINAL)



WAPITI RIVER AT MOUTH


DISSOLVED OXYGEN WINTER 1991 (FINAL)



— DATASONDE D.O.
+ WINKLER D.O.

SMOKY RIVER ABOVE WAPITI RIVER MOUTH

DISSOLVED OXYGEN WINTER 1991 (FINAL)




JULIAN DATE (MAR. 05/91 - MAR. 25/91)
+ FIELD MEASUREMENTS

— DATASONDE DATA

SMOKY RIVER AT WATINO BRIDGE

DISSOLVED OXYGEN WINTER 1991 (FINAL)




— DATASONDE DATA
+ FIELD MEASUREMENTS


JULIAN DATE (DEC. 21/90 TO MAR. 25/91)

APPENDIX 5. ZOOBENTHIC DATA, WAPITI RIVER
FEBRUARY, 1991

- Total numbers and major taxa,
versus site.
- Number of taxa versus site.

Distribution of organisms among major taxa - Wapiti River, Feb., 1991







CA2ALEN116
92W16
Supplement.

**WATER QUALITY IN THE WAPITI-SMOKY RIVER SYSTEM
UNDER LOW-FLOW CONDITIONS 1988-1991
A SYNOPSIS OF GOVERNMENT SURVEYS AND MONITORING**

SUPPLEMENT

DEC 17 1992

26 June 1992

EDMONTON

Introduction

The above Synopsis assessed water quality in the Wapiti-Smoky rivers and compared the observed quality to objectives and guidelines. This Supplement provides graphs and short notes for water quality variables that were non-compliant with objectives or guidelines, in order to better support the conclusions in the Synopsis and to illustrate the degree and frequency of non-compliance.

Attached are one table and several graphs. The graphs plot the measured concentrations of the variables in the Wapiti-Smoky mainstem against river kilometre (from upstream to downstream). Up to four down-river surveys are so plotted, as per the symbols at the bottom of the graph. Where appropriate, the Alberta Surface Water Quality Objective (ASWQO) is shown. The location of key physical features is indicated by vertical dotted lines, including the Grande Prairie sewage treatment plant effluent (STP) and the Procter and Gamble bleached kraft pulp mill effluent (BKME). At locations where replicate samples were collected, the plotted value is the mean of the replicates. All the actual data are included in the Appendices of the Synopsis.

Findings

For many of the variables in the graphs, increases in concentration were observed downstream of, and attributable to, the pulp mill effluent. For some, increases were attributable as well to the sewage effluent. These causes were compiled in Table 1 of the Synopsis. Note that in most cases river concentrations were highest in the March 1989 survey, intermediate in Feb-Mar 1990, and lowest in the Feb-Mar 1991 survey. This results mainly from variations in dilution in the river. Wapiti River flows during the winter surveys were the inverse of the concentrations as below:

Wapiti River at Hwy 40, near Grande Prairie

1 March 1989	5.0 m ³ /s
27 February 1990	13.0 m ³ /s
27 February 1991	16.0 m ³ /s
Mean February (1960-88)	13.2 m ³ /s
7Q10	6.95 m ³ /s


Notes on individual variables follow the graphs (see also the Synopsis).

FIELD EVALUATIONS OF ODOUR DURING DOWN-RIVER SURVEYS OF THE WAPITI-SMOKY RIVER SYSTEM, 1989-1991.


STATION	STATION CODE 00AL07.	1989		1990	
		1-9 MAR.	2-10 OCT.	27 FEB. - 7 MAR.	27 FEB. - 11 MAR.
<u>Mainstem Sites</u>					
Wapiti R. 5 km u/s Red Willow R.	GC1000		0		0
Wapiti R. at Hwy 40	GE2015	0	0	0	
Wapiti R. 1 km u/s Grande Prairie STP	GE2200		0		
Wapiti R. 5 km d/s Grande Prairie STP	GE2250		0	0	
Wapiti R. d/s P&G Haul Road	GE2300		0	0	
Wapiti R. 1 km u/s P&G EM.	GE2350		+	++	+++
Wapiti R. at Railroad Bridge	GE3050	+++	+	++	+++
Wapiti R. -10 km d/s P&G EM.	GE3500		+	++	+++
Wapiti R. 1 km u/s Bear R.	GE4050	+++	+	+	++
Wapiti R. 1 km u/s Mouth	GE4900		+	0	++
Wapiti R. at Mouth	GJ1000	++	+	++	++
Smoky R. at Beausson/Hwy 34	GJ2020	+	+	++	++
Smoky R. u/s Puskwaskau R.	GJ2030	+	+	++	++
Smoky R. km 105	GJ2050	+	+	++	++
Smoky R. at Watino	GJ2060	+	+	++	
Smoky R. between Watino and Mouth	GJ4000	+	+	++	++
Smoky R. near Mouth	GJ5000	+	+	++	
<u>Tributaries</u>					
Big Mountain Creek near Mouth	GE2400		0	0	+
Bear R. near Mouth	GE4500	nf	0	0	0
Smoky R. u/s Wapiti	GF1015	0	0	0	0
Simonetie R. near Mouth	GF3500	0	0	0	0
Puskwaskau R. near Mouth	GJ2032	0	0	0	
Bad Heart R. near Mouth	GJ2034	0	0	0	0
Little Smoky R. near Mouth	GH1500	0	0	0	

P&G - Procter & Gamble; STP - Sewage Treatment Plant; u/s - upstream; d/s - downstream; nf - no flow; blanks indicate not sampled
 Odour intensity (relative to most surface waters): +++ = High (strong or quite distinct), ++ = Medium (definitely noticeable), + = Low (faint, but present),
 0 = no discernable odour


COLOUR IN THE WAPITI-SMOKY RIVER SYSTEM




TOTAL DISSOLVED SOLIDS IN THE WAPITI-SMOKY RIVER SYSTEM




SULPHIDE IN THE WAPITI-SMOKY RIVER SYSTEM




CHROMIUM IN THE WAPITI-SMOKY RIVER SYSTEM




MANGANESE IN THE WAPITI-SMOKY RIVER SYSTEM




TOTAL NITROGEN IN THE WAPITI-SMOKY RIVER SYSTEM




TOTAL PHOSPHORUS IN THE WAPITI-SMOKY RIVER SYSTEM




PHENOLICS IN THE WAPITI-SMOKY RIVER SYSTEM



TOTAL COLIFORMS IN THE WAPITI-SMOKY RIVER SYSTEM



2,4-DCP IN WAPITI-SMOKY RIVER (FEB - MAR 1991)



Odour

Field evaluations, done on water in-situ or on freshly collected water in glass jars, are compiled in the attached Table. Care was taken to ensure any odour in the air was not confused with odour in the water. The odour in the Wapiti-Smoky rivers was similar to that associated with bleached kraft pulp mills. The Canadian Water Quality Guideline is 'no objectionable odour'.

Colour

The ASWQO is a maximum increase of 30 colour units over background. Colour was out of compliance during the winter surveys due to the pulp mill effluent. In October 1989 tributaries contributed much more colour than in winter. The Wapiti remained in compliance in October 1989, in the vicinity of the pulp mill.

Total Dissolved Solids

This was measured as filterable residue, or as the difference between total and suspended solids. The observed values downstream of the pulp mill in March of 1989 do not comply with the Canadian guideline of 500 mg/L, set for aesthetics in drinking water and for irrigation of sensitive crops.

Sulphide

Sulphide was out of compliance downstream of the pulp mill in Feb-Mar 1990. This variable was not sampled during the lowest-flow survey of March 1989.

Manganese

Extractable manganese was analyzed in March 1989 and total manganese was analyzed in the other three surveys.

Chromium

The ASWQO is 0.05 mg/L and the CWQG is 0.02 mg/L for fish and 0.002 mg/L for other aquatic biota. The reason for the high concentrations in the lower Smoky River in Feb-Mar 1990 are not clear although chromium was also high in the Little Smoky River which enters the Smoky upstream of Watino.

Total Coliform Bacteria

The ASWQO states that the geometric mean of at least five samples collected within a 30 day period should not exceed 1000/100 mL. The geometric mean of the five samples in the Wapiti River in a three day period during the Feb-Mar 1990 survey was 1352/100 mL. The cause was probably the sewage effluent.

2,4 Dichlorophenol

This compound was only surveyed on one occasion. Both concentration and mass flux (load) are plotted. The CWQG for dichlorophenols is 0.2 µg/L.

L. Noton, M.Sc., P.Biol.
Alberta Environment
Environmental Quality Monitoring Branch

WSRSUPPL.LRN